Technical Specifications KAB 11/P6

For further access to KAB product diagrams please visit www.kabseating.com

Range Features











Slide Rail Adjuster













Agricultural Seating Standard Features and Optional Extras

Model	Part Number	Trim	Air Suspension	Mechanical Suspension	12v Integral Compressor	One Touch Riser	Height Adjustment	Variable Upstop	Variable Damper	Back Angle Adjustment	Lumbar Support	Armrests	20/20 Swivel	Sliderrails	Fore/Aft Isolator	Suspension Cover	Backrest Extension	Fabric Trim	PVC Trim	Seat Belt	Tractor Type	Semi-active Suspension	Heaters	Air Ventilation
DELUXE Deluxe seats for Agricultural Tractors and Combine Harvesters																								
Invictus LS version	204372	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
Invictus MS version	204373	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
Invictus MSH version	204374	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L		S	
Invictus HV version	204375	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L		S	S
Invictus DRC version	210229	Two tone fabric	85		S	S	S	S		S	S	S	S	S	S	S	S	S		•	L	S	S	S
85/E1	183784	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
85/E6	183783	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
81/E1	183782	Two tone fabric		81			S	S	•	S	S	S	S	S	S	S	S	S		•	L			
81/E6	183785	Two tone fabric		81			S	S	•	S	S	S	S	S	S	S	S	S		•	L			
ECONOMY ECO	NOMY PLUS	Economy	sea	ts fo	or A	gric	ultu	ral 1	ract	tors														
15/U4 Airmaster	198031	Storm Fabric	15		S		S					S		S		S		S		•	M			
XH2/P2	159110	Black PVC		XH2			S	S						S		S	•		S	•	S/M			
XL2/U1 Kabmaster	160042	Black PVC		XL2								•		S		S	•		S	•	S/M			
XL2/U1 Kabmaster	158352	Storm Fabric		XL2								•		S		S	•	S		•	S/M			
XH2/U4 Fieldmaster	158352	Storm Fabric		XH2			S	S				S		S		S		S		•	S/M			
TELEHANDLER Qui	ality S	eats for Te	lesc	opio	: Ha	ndle	ers																	
15/E1	185765	Two tone fabric	15		S		S			S	S	S	S	S	S	S	S	S		•	M/L			
851	171882	Krakatoa Fabric	85		S		S	S		S	S	•		S		S	•	S		•	L			
811	171884	Krakatoa Fabric		81			S	S		S	S	•		S		S	•	S		S	L			
XH2/T1	161909	Storm Fabric		XH2			S	S		S		•		S		S	S	S		•	M/L			
111	188115	Storm Fabric		11			S	S		S		S		S		S	•	S		•	M/L			

It is important that drivers of work vehicles are fully protected from harmful vibrations. KAB seats can eliminate up to 70% of these. Careful seat selection is important and through consultation with KAB Seating's network of Authorised distributors the appropriate seat choice can be made to fit most popular brands.

Care should be taken to ensure a correct installation is made and the seat suspension movements and adjustments are free from obstructions in the cab

KAB Seating provides a full range of service parts to ensure seats can be maintained properly, key wear items such as shock absorbers, seat cushions and air valves should be replaced on a regular basis in accordance with the type of usage, amount of usage and environmental factors.

Regular removal of dust and dirt from the seat and cabin will improve the longevity of

KAB//Seating kabvehicleseats@cvgrp.com

KAB UK - Kab Seating Ltd - Northampton Tel: +44 (0) 1604 641521 E.mail: infouk@cvgrp.com www.kabseating.com

KAB Sweden - Kab Seating AB - Stockholm Tel: +46 (0) 8 554 427 00 E.mail: infosweden@cvgrp.com

KAB Belgium - Kab Seating SA - Saintes Tel: +32 (0) 2 367 13 10 E.mail: infobelgium@cvgrp.com

KAB France - Sales Office - Chatillon, Paris Tel: +33 (0) 1 40 92 97 40 E.mail: infofrance@cvgrp.com KAB Australia - Kab Seating Pty. Ltd - Brisbane

Tel: +61 (0) 7 3344 0500 E.mail: infoaustralia@cvgrp.com CVG China - CVG Vehicle Components - Shanghai

Tel: +86 21 5958 5801 E.mail: infochina@cvgrp.com **CVG World Headquarters -** New Albany, Ohio, USA Tel: (614) 289-5360 E.mail: info@cvgrp.com

CVG National Seating USA - Vonore, Tennessee Tel: +1 800 354 9621 E.mail: infoamerica@cvgrp.com

Distributor

www.cvgrp.com



KAB//Seating




AGRICULTURAL SEATING














enter the comfort zone







The latest KAB Seating range of air and mechanical suspension seats are suitable for:

Vineyard tractors

Small agricultural tractors

Medium agricultural tractors

Large agricultural tractors

Telescopic handlers

Combine harvesters

Ride on mowers

LB LOW BACK MB MEDIUM BACK

These suspension seats offer drivers improved comfort and protection from harmful vibrations in their working environment and they fit most popular agricultural vehicle brands.

The following comfort and safety options are also available:

20° left/right swivel device

Seat Belts

Armrests Backrest extensions

Lumbar support

Fore and aft isolators (800/100 series)

Heating elements (12v,24v or 48v)

Headrests

OTR - One touch riser (800 Air)

Height adjustment systems

Seat sensor switch

Fabric or PVC trims

12v or 24v compressors (800/100 Air)

NEW Air ventilation system

NEW Semi-active suspension (DRC)

As part of a revamp of the KAB Seating range for agriculture, we are pleased to introduce several new seating packages and features.

For the 800 series, we introduce the Invictus Air 85/K6 which offers:

K-Series seat cushion length and tilt adjustment

Electrically powered air lumbar support

Air ventilation system for cooling and heating

K1 and K6 uppers for 800/100 series suspension.

New Compact seat (in both air and mechanical versions) for ride on mowers and groundcare machines.

These represent a significant range enhancement from KAB Seating.

Invictus Air 85/K6

Air 85 low frequency suspension

Low back K6 upper

Optional 2" recoil seat belt

175mm suspension

75mm integral height adjustment

Driver weight range 50-120kg

12v integral compressor

One touch riser

LS Version Mechanical lumbar

MS Version

0-10-20° swivel Electric lumbar

Backrest extension Fore and aft isolator

0-10-20° swivel Electric lumbar Backrest extension Fore and aft isolator Heaters

HV Version

0-10-20° swivel Electric lumbar Backrest extension

Fore and aft isolator Heaters Air Ventilation System

DRC Version

0-10-20° swivel Electric lumbar Backrest extension

Fore and aft isolator Heaters Air Ventilation System Semi-active Suspension Two-tone green/black trim



ir 85/E6

Air 85 low frequency suspension

Low back E6 upper

Optional 2" seat belt

175mm suspension stroke

75mm integral height adjustment

Driver weight range 50-120kg 12v integral compressor

One touch riser

0-10-20° swivel Fore and aft isolator

Mechanical lumbar

DELUXE



over the KAB Invictu

Mechanical 81/E1

Mechanical 81 suspension

Mid back E1 upper

Optional 2" seat belt

175mm suspension stroke 75mm integral height

adiustment Driver weight range 50-120kg

Swivel

Fore and aft isolator Mechanical lumbar





Air 85/E1

Air 85 low frequency suspension

Mid back E1 upper

Optional 2" seat belt 175mm suspension stroke

75mm integral height adjustment Driver weight range

50-120kg

12v integral compressor

One touch riser Swivel

Fore and aft isolator Mechanical lumbar

DELUXE





70mm integral height

50-120kg





Mechanical 811

Mechanical 81 suspension

175mm suspension stroke

Mid back T1 upper

Optional 2" seat belt

75mm integral height

Driver weight range

Mechanical lumbar

adjustment

50-120kg

Seat belt

Sensor Pad

Air 15 suspension

Low back U4 upper

seat belt

Driver weight range

12v integral compressor



Air 15/U4 Airmaster

Optional 2" recoil

150mm suspension stroke



Mechanical XH2/T1



Kabmaster

Optional 2" recoil

Driver weight range

seat belt

50-120kg

ECONOMY

Mid back T1 upper

Optional 2" seat belt

90-160mm suspension stroke 70mm integral height

adjustment Driver weight range 50-120kg

TELEHANDLER



Mechanical XL2/U1 Kabmaster

Mechanical XL2 suspension

Low back U1 upper (PVC) Optional 2" recoil

seat belt 100mm suspension stroke Driver weight range

50-120kg





Mechanical XH2 suspension

Low back P2 upper Optional 2" recoil seat belt

90-160mm suspension stroke

70mm integral height adjustment Driver weight range

50-120kg







Mechanical 81 suspension

Low back E6 upper Optional 2" seat

> 175mm suspension stroke 75mm integral height

adjustment Driver weight range 50-120kg

One touch riser

Swivel Fore and aft isolator

DELUXE

Mechanical lumba



Mechanical XH2/U4

range 50-120km



Driver weight















Model	Part Number	Trim	Air Suspension	Mechanical Suspension	12v Integral Compressor	ser	Height Adjustment	Variable Upstop	Variable Damper	Back Angle Adjustment	Lumbar Support	Armrests	20/20 Swivel	Sliderrails	Fore/Aft Isolator	Suspension Cover	Backrest Extension	Fabric Trim	PVC Trim	Seat Belt	Tractor Type	Semi-active Suspension	Heaters	Air Ventillation
DELUXE De	lux se	ats for Agri	icult	ura	l Tra	ctor	's ar	nd C	oml	oine	Har	ves	ters											
Invictus LS version	204372	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
Invictus MS version	204373	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
Invictus MSH version	204374	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L		S	
Invictus DRC version	204375	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L		S	S
Invictus HV version	204375	Two tone fabric	85		S	S	S	S		S	S	S	S	S	S	S	S	S		•	L	S	S	S
85/E1	183784	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
85/E6	183783	Two tone fabric	85		S	S	S	S	•	S	S	S	S	S	S	S	S	S		•	L			
81/E1	183782	Two tone fabric		81			S	S	•	S	S	S	S	S	S	S	S	S		•	L			
81/E6	183785	Two tone fabric		81			S	S	•	S	S	S	S	S	S	S	S	S		•	L			
ECONOMY ECONOMY PLUS Economy seats for Agricultural Tractors																								
15/U4 Airmaster	198031	Storm Fabric	15		S		S					S		S		S		S		•	М			
XH2/P2	159110	Black PVC		XH2			S	S						S		S	•		S	•	S/M			
XL2/U1 Kabmaster	160042	Black PVC		XL2								•		S		S	•		S	•	S/M			
XL2/U1 Kabmaster	158352	Storm Fabric		XL2								•		S		S	•	S		•	S/M			
XH2/U4 Fieldmaster	158352	Storm Fabric		XH2			S	S				S		S		S		S		•	S/M			
TELEHANDLER Qu	ality S	eats for Te	lesc	opi	c Ha	ndle	ers																	
15/E1	185765	Two tone fabric	15		S		S			S	S	S	S	S	S	S	S	S		•	M/L			
851	171882	Krakatoa Fabric	85		S		S	S		S	S	•		S		S	•	S		•	L			
811	171884	Krakatoa Fabric		81			S	S		S	S	•		S		S	•	S		S	L			
XH2/T1	161909	Storm Fabric		XH2			S	S		S		•		S		S	S	S		•	M/L			
111	188115	Storm Fabric		11			S	S		S		S		S		S	•	S		•	M/L			





