



Health and Safety

(

It is important that drivers of work vehicles are fully protected from harmful vibrations. KAB seats can eliminate up to 70% of these. Careful seat selection is important and through consultation with KAB Seating's network of Authorised distributors the appropriate seat choice can be made to fit most popular brands.

Installation

Care should be taken to ensure a correct installation is made and the seat suspension movements and adjustments are free from obstructions in the cab area.

Maintenance

KAB Seating provides a full range of service parts to ensure seats can be maintained properly, key wear items such as shock absorbers, seat cushions and air valves should be replaced on a regular basis in accordance with the type of usage, amount of usage and environmental factors.

Regular removal of dust and dirt from the seat and cabin will improve the longevity of the seat.

KAB UK - Kab Seating Ltd - Northampton
Tel: +44 (0) 1604 641522 E.mail: infouk@cvgrp.com
www.kabseating.com

KAB Sweden - Kab Seating AB - Stockholm Tel: +46 (0) 8 554 427 00 E.mail: infosweden@cvgrp.com

KAB Belgium - Kab Seating SA - Seneffe
Tel: +32 (0) 64 27 34 70 E.mail: infobelgium@cvgrp.com

KAB France - Sales Office - Chatillon, Paris
Tel: +33 (0) 1 40 92 97 40 E.mail: infofrance@cvgrp.com

KAB Australia - Kab Seating Pty. Ltd - Brisbane
Tel: +61 (0) 7 3344 0500 E.mail: infoaustralia@cvgrp.com

CVG China - CVG Vehicle Components - Shanghai Tel: +86 21 5958 5801 E.mail: infochina@cvgrp.com

CVG World Headquarters - New Albany, Ohio, USA Tel: (614) 289-5360 E.mail: info@cvgrp.com www.cvgrp.com

CVG National Seating USA - Vonore, Tennessee
Tel: +1 800 354 9621 E.mail: infoamerica@cvgrp.com

Distributor





TRUCK AND BUS SEATING



www.kabseating.com

enter the comfort zone



ITEM NO.	FEATURE	DETAIL
1	Seat Angle Adjustment	-5° + 10° in locking positions
2	Seat Cushion Extension	Up to 60mm in 10mm increments
3	Air Suspension with Memory Valve	190mm suspension stroke
4	Express Lowering Valve	For easier seat ingress/egress
5	Adjustable Shock	Adjusts ride per occupant's preference
6	Height Adjustment	120mm
7	Back Angle	Up to 35° rearward recline
8/9	Lumbar Adjustment	Two adjustment zones (upper and lower)
10	Back Bolster Adjustment	Optional
11	Integrated Seat Belt	Meets ECE R17 (N2 & N3) and FM V SS 210 requirements
12	Integrated Neck SUpport	Pillow Type
13	Fore/Aft Adjustment	220mm
14	Seat Weight	39Kg
15	Arm Rest	Optional











